

Subject Index

- A**
- ABB Ventilation Products 1, p. 47-58
 - acidification 2, p. 113-124, 4, p. 209-220
 - active product 1, p. 47-58
 - agriculture 6, p. 345-348, 6, p. 349-357
 - air conditioner 5, p. 287-290
 - air emissions 5, p. 281-286
 - air pollutants 5, p. 295-305
 - allocation 1, p. 31-36, 2, p. 79-83, 2, p. 85-95, 4, p. 221-228, 4, p. 229-238
 - aluminium 2, p. 79-83
 - ammonia 4, p. 221-228, 6, p. 349-357
 - ammonia production 3, p. 153-159
 - ammonium 6, p. 349-357
 - assessment framework 3, p. 161-175
 - automotive industry 5, p. 313-316
- B**
- boron 1, p. 31-36
 - bread 4, p. 239-248
- C**
- Carbon dioxide 4, p. 221-228, 5, p. 273-280
 - carbon dioxide production 3, p. 153-159
 - case studies 1, p. 5-11, 2, p. 79-83, 3, p. 127-133, 4, p. 205-208, p. 229-237, 5, p. 273-280
 - case study, vending machine 6, p. 327-334
 - categories of impact 6, p. 319-326
 - cause-effect chain 6, p. 319-326
 - CBA 1, p. 12-18
 - CED 6, p. 369-373
 - CFC-12 4, p. 209-220
 - characterisation 2, p. 113-124, 4, p. 229-238
 - chemical industry 2, p. 75-77
 - chlorine 3, p. 177-186
 - classification 2, p. 113-124, 4, p. 229-238
 - clean air legislation 2, p. 75-77
 - CMA 6, p. 327-334
 - CO₂ emissions 5, p. 306-312
 - combined heat and power plant 2, p. 85-95
 - communicating 2, p. 113-124
 - comparative assertions, LCA 1, p. 37-46, 2, p. 96-104
 - components 4, p. 209-220, 6, p. 327-334
 - compost 5, p. 291-294
 - concentric circle model 5, p. 281-286
 - consumers point of view 3, p. 134-142
 - consumption of time 1, p. 5-11
 - consumption patterns 3, p. 134-142
 - Cost Benefit Analysis (CBA) 1, p. 12-18
 - crop production 6, p. 349-357
 - cultural bias, Cultural Theory 3, p. 161-175
 - Cumulative Energy Demand (CED) 6, p. 369-373
 - database system 5, p. 261-264
 - decision making 2, p. 75-77; 3, p. 134-142; 3, p. 177-186, 6, p. 319-326
 - decision support 3, p. 161-175; 4, p. 229-238
 - Design for environment (DfE) 3, p. 145-151, 4, p. 205-208
 - DfE 4, p. 205-208
 - disability-adjusted life years 5, p. 265-272
 - disposal of wastepaper 1, p. 12-18
 - distance to target (DtT) 1, p. 5-11
 - domestic refrigerator 4, p. 209-220
 - drivingmarginal allocation 5, p. 306-312
 - Dutch 2, p. 113-124
 - Dutch National Hazardous Waste Management Plan 2, p. 105-112
- E**
- eco-balance 6, p. 345-348
 - eco-efficiency indicators 2, p. 75-77
 - eco-indicators 95 2, p. 75-77, 3, p. 134-142, 3, p. 145-151, 4, p. 205-208
 - eco-indicators 1, p. 59-62
 - ecodesign 3, p. 145-151
 - ecometrics 1, p. 59-62, 3, p. 145-151
 - economic allocation 2, p. 79-83
 - ecosphere 3, p. 161-175
 - EDIP method 1, p. 47-58
 - EIA 1, p. 12-18, 2, p. 105-112
 - electric vehicles 5, p. 306-312
 - electric vehicles, electric power plants 5, p. 281-286
 - electricity grid mixes 5, p. 295-305
 - emission factors 6, p. 349-357
 - emissions 2, p. 113-124
 - empirical process simulation 3, p. 127-133
 - EMS 6, p. 358-362
 - endpoint modeling 6, p. 319-326
 - energy 6, p. 335-344
 - energy analysis 6, p. 369-373
 - energy systems 2, p. 85-95
 - environmental analysis 4, p. 239-248
 - environmental damage costs 2, p. 85-95
 - environmental decision making 1, p. 21-30
 - environmental external costs 2, p. 85-95
 - Environmental Impact Assessment (EIA) 1, p. 12-18, 2, p. 105-112
 - environmental impact of wastepaper 1, p. 12-18
 - environmental impacts 1, p. 31-36
 - environmental management 6, p. 363-368
 - Environmental Management System (EMS) 6, p. 358-362
 - environmental policy instruments 4, p. 229-238
 - estimation methods 6, p. 349-357
 - eutrophication 2, p. 113-124
 - exposure 6, p. 335-344
 - EXposure Per Emission Coefficient (EXPEC) 5, p. 281-286
- F**
- factory-type database 6, p. 327-334
 - farm level 6, p. 345-348

fate modelling 6, p. 335-344
fertilizer 5, p. 291-294, 6, p. 349-357
food 4, p. 239-248
food, consumption 3, p. 134-142
frames 3, p. 177-186
fugitive emissions 3, p. 153-159
full LCA 1, p. 47-58
function of a process 3, p. 127-133
functional equivalence 3, p. 127-133
functional unit 3, p. 127-133, 6, p. 345-348
functional unit, food 3, p. 134-142
functionality 2, p. 79-83
future research, LCA 1, p. 21-30

G

gas purification system 2, p. 75-77
gasoline vehicles 5, p. 281-286, p. 306-312
gate-to-gate life cycle 3, p. 153-159
global warming 2, p. 113-124, 5, p. 287-290
global warming potentials 4, p. 209-220, 6, p. 319-326
goal and scope definition 4, p. 229-238
hazardous waste 2, p. 105-112
HCFC22 5, p. 287-290
heat transfer efficiency 3, p. 153-159
heavy metals 2, p. 113-124, 5, p. 295-305
HFC-134a 4, p. 209-220
HFC410A 5, p. 287-290
human toxicity 4, p. 209-220

I

impact assessment 1, p. 47-58, 3, p. 145-151, 5, p. 261-264,
5, p. 287-290, 6, p. 358-362
impact categories 6, p. 345-348, 6, p. 374-384
implementation 6, p. 363-368
incineration 4, p. 229-238
India 1, p. 12-18
industrial ecology, Life Cycle Assessments 1, p. 47-58
industrial metal cleaning 3, p. 127-133
industrial products 1, p. 5-11
input-output table 5, p. 306-312
institutionalisation 6, p. 363-368
integrated product policy 1, p. 59-62
interpretation 4, p. 229-238
inventory data 5, p. 261-264
ISO 6, p. 358-362
ISO 14040 5, p. 287-290
ISO 14042 6, p. 319-326
ISO standards 5, p. 313-316

J

Japan 5, p. 287-290, p. 291-294, p. 295-305
joint production 2, p. 85-95

K

ketchup 4, p. 239-248
known damage 3, p. 161-175

L

landfilling 4, p. 229-238
LCA 2, p. 79-83, p. 96-104, p. 113-124, p. 105-112,
3, p. 177-186, 4, p. 205-208, p. 209-220, p. 239-248,
5, p. 261-264, 6, p. 319-326, p. 327-334

LCA abridged matrix method 1, p. 12-18
LCA case study 5, p. 291-294
LCA commissioners 1, p. 5-11
LCA in the Japanese automotive industry 5, p. 313-316
LCA methodology 3, p. 127-133
LCA practitioners 1, p. 5-11, 5, p. 273-280
LCA, modular 3, p. 134-142
LCA, simplified 3, p. 134-142
LCI 6, p. 327-334, p. 349-357, p. 374-384
LCIA 1, p. 5-11, 3, p. 177-186, 5, p. 265-272, p. 273-280,
p. 281-286, 6, p. 319-326, p. 335-344, p. 358-362,
p. 374-384
Life Cycle Assessment (LCA) 2, p. 75-77, p. 96-104, p. 105-
112, 3, p. 153-159, p. 161-175, p. 177-186, 4, p. 205-208,
p. 209-220, p. 221-228, p. 239-248, 5, p. 287-290, 6,
p. 319-326, p. 327-334, p. 345-348, p. 363-368,
life cycle costing 6, p. 358-362
life cycle engineering 1, p. 47-58
Life Cycle Impact Assessment (LCIA) 1, p. 5-11, 3, p. 161-
175, p. 177-186, 4, p. 229-238, 5, p. 265-272, p. 281-286,
p. 273-280, 6, p. 319-326, 6, p. 335-344, p. 358-362,
p. 369-373, p. 374-384
Life Cycle Inventories (LCI) 3, p. 153-159, 5, p. 295-305,
p. 306-312, 6, p. 327-334, p. 349-357, p. 374-384
Life Cycle Inventory Analysis 2, p. 85-95, 4, p. 221-228,
p. 229-238, 6, p. 369-373
life cycle management 1, p. 59-62, 3, p. 145-151, 6, p. 358-
362
life cycle methodologies 5, p. 306-312
life cycle of processes 3, p. 153-159
lignite 6, p. 369-373
linear programming 1, p. 31-36
lithography 6, p. 374-384
lubricants 4, p. 209-220

M

macroscopic approach 4, p. 221-228
manageability 3, p. 161-175
management sciences 2, p. 85-95
manufacturing 5, p. 306-312, 6, p. 327-334
marginal change 3, p. 134-142
marginal prevention costs 2, p. 113-124
marginal values, LCA 1, p. 31-36
material quality 2, p. 79-83
material recovery 5, p. 291-294
meat 3, p. 134-142
melanoma 5, p. 265-272
methane fermentation 5, p. 291-294
methodology 4, p. 229-238, 6, p. 345-348
microscopic approach 4, p. 221-228
midpoint modeling 6, p. 319-326
modelling, LCA 1, p. 21-30
modular, LCA 3, p. 134-142
multi-output process 4, p. 221-228
Mumbai, LCA 1, p. 12-18
municipal solid waste (MSW) in India 1, p. 12-18

N

N₂O 6, p. 349-357
National LCA Project of Japan 1, p. 5-11, 5, p. 261-264
natural gas 5, p. 273-280

NH₃ 6, p. 349-357
 NH₄ 6, p. 349-357
 night soil treatment 5, p. 291-294
 nitrate 6, p. 349-357
 nitrogen emission 6, p. 349-357
 nitrous oxide 6, p. 349-357
 non-melanoma skin cancer 5, p. 265-272

O

Open-loop recycling 2, p. 79-83
 optimisation of processes 3, p. 127-133
 organic wastes 5, p. 291-294
 overall efficiency of supply 6, p. 369-373
 ozone depleting substance 5, p. 265-272
 ozone depletion 5, p. 265-272
 ozone depletion potentials 6, p. 319-326
 ozone layer depletion 5, p. 287-290

P

paint waste 2, p. 105-112
 persistence 6, p. 335-344
 perspectives 3, p. 161-175
 philosophy of science 3, p. 177-186
 photochemical o 6, p. 319-326
 policy science 3, p. 177-186
 potential energy recovery 3, p. 153-159
 precautionary principle 3, p. 161-175
 process design 3, p. 153-159
 process development 3, p. 145-151
 process-relational model 5, p. 306-312
 product development 3, p. 145-151
 product LCA 4, p. 205-208
 purchase 3, p. 134-142
 PVC 3, p. 177-186

Q

qualitative case studies 6, p. 363-368
 quasi-microscopic approach 4, p. 221-228

R

RA 3, p. 177-186
 refrigerants 4, p. 209-220, 5, p. 287-290
 refrigerator 4, p. 209-220
 region 2, p. 113-124
 relative mass-energy-economic (RMEE) 2, p. 96-104,
 1, p. 37-46
 Return on Environment (ROE) 6, p. 358-362
 Risk Assessment (RA) 3, p. 177-186, 6, p. 335-344,
 p. 358-362
 river modelling 6, p. 335-344
 RMEE 1, p. 37-46, 2, p. 96-104

S

scenarios, LCA 1, p. 21-30
 screening LCIA 5, p. 273-280
 screening level LCA 1, p. 47-58

separation of paint and packaging 2, p. 105-112
 SETAC-Europe 1, p. 21-30
 sheetfed printing 6, p. 374-384
 simplified damage functions 5, p. 273-280
 simplified LCA 6, p. 327-334
 single indicator 2, p. 113-124
 skin cancer 5, p. 265-272
 sludge retreatment 5, p. 291-294
 socio-economic aspect of wastepaper 1, p. 12-18
 soy-based ink 6, p. 374-384
 soybean oil 6, p. 374-384
 spark ignition engine 2, p. 85-95
 spatially differentiated potential impact 5, p. 281-286
 streamlined LCA 1, p. 47-58
 summer smog 2, p. 113-124, 4, p. 209-220
 sustainability principles 4, p. 239-248
 sustainable 2, p. 113-124
 sustainable development 1, p. 59-62, 4, p. 209-220
 Sweden 3, p. 177-186
 Swedish industry 6, p. 363-368
 Swiss Ecopoints 2, p. 75-77
 system analysis, LCA 1, p. 31-36, 4, p. 229-238
 system boundary selection 2, p. 96-104, 1, p. 37-46

T

textile chemicals 6, p. 335-344
 the Netherlands 3, p. 177-186
 toxic substances 2, p. 75-77
 toxicity 6, p. 335-344
 toxicity debate 3, p. 177-186
 tractors 4, p. 205-208

U

uncertainties 1, p. 21-30, 4, p. 229-238
 uncertainty analysis 2, p. 75-77, 3, p. 161-175
 unknown damage 3, p. 161-175, 6, p. 335-344
 use phase 4, p. 209-220
 USES 6, p. 335-344

V

valuation 1, p. 5-11
 value frames 3, p. 161-175
 values 4, p. 229-238
 valuesphere 3, p. 161-175
 vegetable 3, p. 134-142
 virtual pollution costs '99 2, p. 113-124
 viscosity 4, p. 209-220

W

Waste management 2, p. 105-112
 weighting 1, p. 5-11, 4, p. 229-238
 weighting methodology 5, p. 273-280
 West European 2, p. 113-124
 window frames 2, p. 79-83
 winter smog 2, p. 113-124
 wood 5, p. 273-280